# TITAN 2.0

the most powerful snow aun on the market













Extended throwing range
High snow production
Sophisticated design
and the best
materials available

The TITAN is convincing. The preparation of slopes is made easy in a short period of time.

**DEMACLENKO** 

e market leader



# Product-Highlights

new nozzle concept allows better nucleation

in low pressure conditions

2 minimal noise level thanks to a new fan design

longer barrel
allows an extended throwing range

oil-free COMPressor

7" touch screen user interface with optional usage of an app compatible with smartphones/tablets via wireless connection




## **Technical Highlights**

- A compact ZINC COATED STEEL CHASSIS which stands steady on the slope and is fitted with three steel legs and wheels
- FRP (fiberglass composite) barrel with aluminum nozzle ring
- Stainless steel Water NOZZIES and brass alloy NUCleators
- Manual or electrical rotation 360°
- Barrel inclination adjustable manually or electrically between 0° and  $45^{\circ}$
- Electrical cabinet with IP55 protection standard
- Valve unit with self-draining and central Water inlet
- Oil-free COMDressor (oil compressor optional)
- Warning and Spotlight
- Easily accessible Water filter
- Softstart for fan motor
- Wind chasing function available with SnowVisual integration (valid for AT/ATK and AS/ASK)
- Forced Ventilated temperature sensor

### **Automatic Functions**

- Oscillation from 10° to 330°
- 7,0" touch screen user interface with optional usage of an app compatible with smartphones/tablets via wireless connection
- DISPIAY showing current data regarding water temperature, water pressure, water flow, snow quality, air temperature and humidity, electrical consumption as well as all statistical data
- Alarm which automatically stops the fan gun
- Display of Alarm list for easy adjustment
- \_ multilanguage software

# **Configurations**



TITAN 2.0 AMK automatic mobile fan gun with compressor

 $\_$  TITAN 2.0AT and ATK with or without compressor, mounted on fixed tower











Technical Details




# **Technical Data**

| Height (A)                  | 2.530 mm (8 ft 4 in)   |
|-----------------------------|------------------------|
| Length (B)                  | 2.620 mm (8ft 7 in)    |
| Width (C)                   | 2.420 mm (7 ft 11 in)  |
| Fan gun with legs and cable | 763 kg (1682 lbs)      |
| Wheel and drawbar           | 85 kg (188 lbs)        |
| Nominal voltage             | 400/480* Volt          |
| Fan                         | 18,5 kW (24.5 HP)      |
| Compressor                  | 4 kW (5.5)             |
| Heating                     | 2 KW                   |
| Nominal power               | 24 kW (44 amps)        |
| Nominal frequency           | 50/60 Hz               |
| Connection plug             | 63 A                   |
| Nucleators                  | 12                     |
| Water nozzles               | 80                     |
| Swinging range              | 360°                   |
| Automatic swing             | 10°-330°               |
| Barrel inclination          | 0°-45°                 |
| Connection water            | 2"                     |
| Operation water pressure    | 8-50 bar (116-725 psi) |
| Water filter                | 350 micron             |
| Maximal water flow          | 11 l/s (174.4 gpm)     |
| Maximal snow production     | 105 m³/h (137 y³/hr)   |
| Throwing range              | 75 m (246 ft)          |

<sup>\*</sup> available for US market





echnical Data



DEMACLENKO IT Srl/ GmbH Griesbruck 14/B - Neidegg

Tel. +39 0472 061601 Fax +39 0472 061649 sales italy@demaclenko co

DEMACLENKO AMERICA Inc 264 NH Route 106

Gilmanton, NH 03237
Tel. +1 603 267 7840
Fax +1 603 267 7843

DEMACLENKO AUSTRIA GmbH

Michael-Seeber-Straße 1

A-64 IU IEITS

Fax +43 5262 621 21 3400

DEMACLENKO SWITZERLAND GmbH

Im Ehrmerk 11 8360 Wallenwil

Fax +41 71 9712870

sales switzerland@demaclenko.com

LEITNER FRANCE (DEMACLENK)

Voie Galilée - Zone d'activité d'Alpespace - CS 5000

F-73802 Montmelian Cedex Tel. +33 (0)4 79 84 77 77 Fax +33 (0)4 79 84 77 00



www.demaclenko.com



